



# C8 Coin Sorter



## THE WORLD'S LEADING MEDIUM-SPEED COIN SORTER

### ■ Advanced Active Sorting Technology

C8 is one of the most advanced coin sorter in the world with the active sorting technology. C8 can not only sort round coins, but also can sort polygonal coins

### ■ Strong Coin Recognition Ability

Because of his strong coin recognition ability, C8 can support currencies of more than 100 countries / regions. C8 has passed the ETSC of ECB successfully

### ■ Automatic Coin-input Technology

C8 adopts unique automatic coin-input technology via belt, greatly reduces the work pressure of staff and makes the work of coin sorting simple and easy

### ■ Humanized User Operation Experience

C8 is operated by a 7-inch touch screen. All functions and data are clearly showed on the screen. It's very easy for staff to use this machine

### ■ Unique Observation Light Design

Once the C8 is working, the light in the observation window will automatically light up, allowing staff to see the machine's operating status clearly





## C8 Coin Sorter Specifications

### COIN SORTING

|                |                           |
|----------------|---------------------------|
| Speed:         | Up to 550 coins / minute  |
| Technology:    | Active sorting technology |
| Denominations: | 8 Denominations+1 Reject  |

### COIN INPUT

|                       |   |
|-----------------------|---|
| Coin In:              | Automatic batch coin-in via conveyor belt |
| Belt Groove Capacity: | Approx. 1,000 coins                       |

### USER INTERFACE

|          |                         |
|----------|-------------------------|
| Display: | 7-Inch LCD touch screen |
| Printer: | 58mm thermal printer    |

### DIMENSIONS & WEIGHT

|         |              |
|---------|--------------|
| Width:  | 638mm        |
| Depth:  | 365mm        |
| Height: | 330mm        |
| Weight: | Approx. 25KG |

### OTHERS

|                          |          |
|--------------------------|----------|
| Interface:               | RS232    |
| Power:                   | 100~240V |
| Environment Temperature: | 0°C~40°C |





# C10 High Speed Coin Sorter



## THE COST-EFFECTIVE HIGH SPEED COIN SORTING MACHINE

### ■ Advanced Active Sorting technology

C10 is one of the most advanced high speed coin sorter in the world with the active sorting technology. C10 can not only sort round coins, but also can sort polygonal coins

### ■ High Coin Sorting Speed

The sorting speed of C10 can reach more than 1,600 coins per minute, which helps customer improve their work efficiency greatly

### ■ Strong Coin Recognition Ability

Because of his strong coin recognition ability, C10 can support currencies of more than 100 countries / regions. C10 has passed the ETSC of ECB successfully

### ■ Automatic Coin-Input Technology

C10 adopts unique automatic coin-input technology via belt, greatly reduces the work pressure of staff and makes the work of coin sorting simple and easy

### ■ Unique Floor Standing Design

C10 is really a heavy duty high speed coin sorter with floor standing design. C10 is suitable for cash centers & CIT





## C10 High Speed Coin Sorter Technical Specifications

### COIN SORTING

|                |                            |
|----------------|----------------------------|
| Speed:         | Up to 1,600 coins / minute |
| Technology:    | Active sorting technology  |
| Denominations: | 9 Denominations+1 Reject   |

### COIN INPUT

|                       |   |
|-----------------------|---|
| Coin In:              | Automatic batch coin-in via conveyor belt |
| Belt Groove Capacity: | Approx. 7,000 coins                       |

### USER INTERFACE

|          |                         |
|----------|-------------------------|
| Display: | 7-Inch LCD touch screen |
| Printer: | 58mm thermal printer    |

### DIMENSIONS & WEIGHT

|         |               |
|---------|---------------|
| Width:  | 1,130mm       |
| Depth:  | 450mm         |
| Height: | 1,123.5mm     |
| Weight: | Approx. 100KG |

### OTHERS

|                          |          |
|--------------------------|----------|
| Interface:               | RS232    |
| Power:                   | 100~240V |
| Environment Temperature: | 0°C~40°C |

